



- > Unbranded Extractors
& Cooking Range
- > 3 Year Nationwide Guarantee
on Extractors
- > High Extraction Rate
- > High Specification
- > Charcoal Filters & Ducting Included
on Most Models



Tel: 011 454 4314
www.falco.co.za

CUSTOMISABLE EXTRACTOR SOLUTIONS

We offer a wide variety of extractor units to suit every kitchen style - from modern minimalist designs to bold statement spaces. Whether you're looking for wall-mounted, curved glass, or built-in options, our range ensures the perfect balance of performance and design. For customers wanting a more personalised finish, we also offer custom options

BLACK FLUE

A matt black flue/chimney can be ordered for selected units to compliment your selected unit for a sleek, contemporary look.

FAL-60-30BG, FAL-60-S03D, FAL-60-S03D3, FAL-60-S03E, FAL-90-30BG, FAL-90-S03D, FAL-90-S03D3 & FAL-90-S03E



CUSTOMISABLE FRONT PANEL

FAL-60-T62ST, FAL-90-T62ST, FAL-60-T62ST-B & FAL-90-T62ST-B

The front panel can be replaced to match your kitchen design. Simply consult your cabinetry specialist to customise a finish that integrates seamlessly into your kitchen design.



BUILT-IN EXTRACTORS - SEAMLESS STYLE, POWERFUL PERFORMANCE.

A built-in extractor is designed to fit neatly into your kitchen cabinetry, offering a clean and streamlined look without compromising on performance. Discreetly installed within an overhead cupboard or housing unit, it effectively removes steam, smoke, and cooking odours while remaining almost invisible in your kitchen design.


ACCESSORIES, CONSUMABLES & SPARE PARTS

We offer a carefully selected range of accessories to assist with the smooth and professional installation of your extractor.

From ducting components to fittings and finishing pieces, our accessories ensure optimal performance and a clean installation.

Consumables and spare parts are also readily available to help maintain your unit and keep it operating at its best.

For more information, please contact our office or visit the www.falco.co.za to explore the range



60CM WALL MOUNT EXTRACTORS

AR-60-903BL (black)
200m³/hr
AR-60-903SS (s/steel)
200m³/hr



FAL-60-MH10BLL (black)
300m³/hr
FAL-60-MH10STL (s/steel)
300m³/hr



FAL-60-CHBL (black)
450m³/hr
FAL-60-CHST (s/steel)
450m³/hr




FAL-60-210 350m³/hr



FAL-60-PYRS 550m³/hr



AR-60-303 750m³/hr



FAL-60-52S 750m³/hr



FAL-60-55SLS 750m³/hr



FAL-60-CGS 550m³/hr



FAL-60-38SG 750m³/hr



FAL-60-38SG-B 750m³/hr



AR-60-501 750m³/hr



FAL-6068 1200m³/hr



AR-60-111 750m³/hr



FAL-60-F09 750m³/hr



FAL-60-S03E 750m³/hr



- Motorised Opening
- Optional Black Flue

FAL-60-S03D 750m³/hr



- Motorised Opening
- Optional Black Flue

FAL-60-S03D3 750m³/hr



- Optional Black Flue

FAL-60-30BG 750m³/hr



- Optional Black Flue



90CM WALL MOUNT EXTRACTORS

AR-90-903BL (black)
200m³/hr
AR-90-903SS (s/steel)
200m³/hr



FAL-90-MH10BLL (black)
300m³/hr
FAL-90-MH10STL (s/steel)
300m³/hr




FAL-90-CHBL (black)
450m³/hr
FAL-90-CHST (s/steel)
450m³/hr



FAL-90-210 350m³/hr



FAL-90-PYRS 550m³/hr



AR-90-303 750m³/hr



FAL-90-52S 750m³/hr



FAL-90-CGS 550m³/hr



FAL-90-38SG 750m³/hr



FAL-90-38SG-B 750m³/hr




AR-90-501 750m³/hr



AR-90-111 750m³/hr



FAL-90-22S 750m³/hr



FAL-90-F09 750m³/hr




FAL-90-30BG 750m³/hr




► Optional Black Flue

FAL-90-S03D 750m³/hr



► Motorised Opening
► Optional Black Flue

FAL-90-S03D3 750m³/hr



► Optional Black Flue

FAL-90-S03E 750m³/hr




► Motorised Opening
► Optional Black Flue



120CM WALL MOUNT EXTRACTORS

FAL-90-2245SG 750m³/hr



120CM WALL MOUNT GAS BRAAI EXTRACTORS


AR-120-110 2000m³/hr

- Twin Motor
- 3 x Fan Speeds
- Push Button Controls
- 6 x LED Downlights



CEILING EXTRACTORS

FAL-110-CEWG (110cm) 1000m³/hr



► Remote Control

FAL-100-38ABL (110cm) 750m³/hr



► Remote Control

FAL-100-38WH (110cm) 750m³/hr



► Remote Control

ISLAND EXTRACTORS


35cm

FAL-35-IRS (35cm)
750m³/hr



60cm

FAL-60-IS60A (60cm) 800m³/hr



SPLASHBACKS



Available Sizes

- 60cm SB-BG60 - Black Glass
600mm(w) x 700mm(h)
- 60cm SB-SS60 - Stainless Steel
600mm(w) x 650mm(h)
- 90cm SB-BG90 - Black Glass
900mm(w) x 700mm(h)
- 90cm SB-SS90 - Stainless Steel
900mm(w) x 650mm(h)

90cm


FAL-90-IS90A (90cm)
800m³/hr



FAL-90-I38S (90cm) 750m³/hr



AR-90-809 (90cm) 750m³/hr



FAL-90-I52S (90cm)
750m³/hr




FAL-90-I22S (90cm)
750m³/hr



AR-90-810 (90cm)
750m³/hr



AR-90-826 (90cm) 750m³/hr



120cm

AR-120-809 (120cm)
750m³/hr



FAL-120-IRS (120cm)
1500m³/hr



INTEGRATED EXTRACTORS

Semi Integrated
FAL-60-T62ST 60cm Twin Motor 450m³/hr
FAL-90-T62ST 90cm Twin Motor 450m³/hr



► Replaceable front panel

Semi Integrated
FAL-60-T62ST-B 60cm Twin Motor 450m³/hr
FAL-90-T62ST-B 90cm Twin Motor 450m³/hr



► Replaceable front panel


Fully Integrated
FAL-52-BIS 52cm 750m³/hr
FAL-75-BIS 75cm 750m³/hr



Fully Integrated
FAL-52-BIG (white glass) 52cm 750m³/hr
FAL-75-BIG (white glass) 75cm 750m³/hr
FAL-90-BIG (white glass) 90cm 1000m³/hr




Fully Integrated
FAL-52-BIG-B (black glass) 52cm 750m³/hr
FAL-75-BIG-B (black glass) 75cm 750m³/hr
FAL-90-BIG-B (black glass) 90cm 1000m³/hr



Fully Integrated
FAL-52-BISB 52cm 750m³/hr
FAL-85-BISB 85cm 1000m³/hr



Fully Integrated
FAL-52-U68SS 52cm 750m³/hr
FAL-85-U68SS 85cm 750m³/hr




Countertop / Downdraft
FAL-60-DDG 60cm 850m³/hr
FAL-90-DDG 90cm 850m³/hr



► Compatible with Gas

Countertop / Downdraft
FAL-60-DDG-BG 60cm 850m³/hr
FAL-90-DDG-BG 90cm 850m³/hr



► Compatible with Gas

Fully Integrated - Drop Down
AR-60-761A 60cm 1200m³/hr
AR-90-761A 90cm 1200m³/hr



EXTRACTOR SPECS

MODEL	SUCTION RATE "m³/hr"	BUTTONS	DOWNLIGHTS	CHARCOAL FILTERS	DUCTING PIPE	FLUE LENGTHS BOTTOM + TOP "mm"	OPTIONAL EXTRAS
60CM WALL MOUNT							
AR-60-903BL	200	Push button	LED X 1	Carbon cloth	NO	N/A	
AR-60-903SS	200	Push button	LED X 1	Carbon cloth	NO	N/A	
FAL-60-MH10BLL	300	Push button	LED X 1	YES	NO	N/A	
FAL-60-MH10STL	300	Push button	LED X 1	YES	NO	N/A	
FAL-60-CHBL	450	Touch control	LED X 1	YES	YES	N/A	
FAL-60-CHST	450	Touch control	LED X 1	YES	YES	N/A	
FAL-60-210	350	Push button	LED X 2	YES	YES	400 + 400	
FAL-60-PYRS	550	Push button	LED X 2	YES	YES	400 + 400	
AR-60-303	750	Touch control	LED X 2	YES	YES	500 + 500	
FAL-60-52S	750	Electronic button	LED X 2	YES	YES	400 + 400	
FAL-60-55SLS	750	Electronic button	LED X 2	YES	YES	400 + 400	
FAL-60-CGS	550	Push button	LED X 1	YES	YES	500 + 500	
FAL-60-38SG	750	Electronic button	LED X 2	YES	YES	400 + 400	
FAL-60-38SG-B	750	Electronic button	LED X 2	YES	YES	400 + 400	
AR-60-501	750	Touch control	LED X 2	YES	YES	500 + 500	
FAL-6068	1200	Touch control	LED X 2	YES	YES	400 + 400	
AR-60-111	750	Touch control	White LED light panel	YES	YES	500 + 500	
FAL-60-F09	750	Touch control	LED X 2	YES	YES	400 + 400	
FAL-60-S03E	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
FAL-60-S03D	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
FAL-60-S03D3	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
FAL-60-30BG	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
90CM WALLMOUNT							
AR-90-903BL	200	Push button	LED X 1	Carbon cloth	NO	N/A	
AR-90-903SS	200	Push button	LED X 1	Carbon cloth	NO	N/A	
FAL-90-MH10BLL	300	Push button	LED X 1	YES	NO	N/A	
FAL-90-MH10STL	300	Push button	LED X 1	YES	NO	N/A	
FAL-90-CHBL	450	Touch control	LED X 1	YES	YES	N/A	
FAL-90-CHST	450	Touch control	LED X 1	YES	YES	N/A	
FAL-90-210	350	Push button	LED X 2	YES	YES	400 + 400	
FAL-90-PYRS	550	Push button	LED X 2	YES	YES	400 + 400	
AR-90-303	750	Touch control	LED X 2	YES	YES	600 + 600	
FAL-90-52S	750	Electronic button	LED X 2	YES	YES	400 + 400	
FAL-90-CGS	550	Push button	LED X 2	YES	YES	500 + 500	
FAL-90-38SG	750	Electronic button	LED X 2	YES	YES	400 + 400	
FAL-90-38SG-B	750	Electronic button	LED X 2	YES	YES	400 + 400	
AR-90-501	750	Touch control	LED X 2	YES	YES	500 + 500	
AR-90-111	750	Touch control	White LED light panel	YES	YES	500 + 500	
FAL-90-22S	750	Electronic button	LED X 2	YES	YES	400 + 400	
FAL-90-F09	750	Touch control	LED X 2	YES	YES	400 + 400	
FAL-90-30BG	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
FAL-90-S03D	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
FAL-90-S03D3	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
FAL-90-S03E	750	Touch control	LED X 2	YES	YES	400 + 400	Black Flue
120CM WALL MOUNT							
FAL-90-2245SG	750	Electronic button	LED X 2	YES	YES	400 + 400	
120CM WALL MOUNT GAS BRAAI EXTRACTOR							
AR-120-110	2000	Push button	LED X 6	N/A	YES	600 + 600	
CEILING EXTRACTORS							
FAL-110-CEWG 110cm	1000	Remote control	LED X 2 strips	YES	YES	N/A	
FAL-100-38ABL 110cm	750	Remote control	LED X 4	YES	YES	N/A	
FAL-100-38AWH 110cm	750	Remote control	LED X 4	YES	YES	N/A	
ISLAND EXTRACTORS							
FAL-35-IRS 35cm	750	Electronic button	LED X 3	YES	YES	N/A	
FAL-60-IS60A 60cm	800	Push button	LED X 2	YES	YES	500 + 500	
FAL-90-IS90A 90cm	800	Push button	LED X 2	YES	YES	500 + 500	
FAL-90-I38S 90cm	750	Electronic button	LED X 4	YES	YES	600 + 600	
AR-90-809 90cm	750	Touch control + Remote	LED X 4	YES	YES	600 + 600	
FAL-90-IS2S 90cm	750	Electronic button	LED X 4	YES	YES	600 + 600	
FAL-90-I22S 90cm	750	Electronic button	LED X 4	YES	YES	600 + 600	
AR-90-810 90cm	750	Touch control + Remote	White LED light panel	YES	YES	600 + 600	
AR-90-826 90cm	750	Touch control	LED X 1 strip	YES	NO	N/A	
AR-120-809 120cm	750	Touch control + Remote	LED X 4	YES	YES	600 + 600	
FAL-120-IRS 120cm	1500	Electronic button	LED X 6	YES	YES	600 + 600	
INTEGRATED EXTRACTORS							
FAL-60-T62ST 60cm	450	Slide switch	LED X 1	YES	YES	N/A	Replaceable front panel
FAL-90-T62ST 90cm	450	Slide switch	LED X 1	YES	YES	N/A	Replaceable front panel
FAL-60-T62ST-B 60cm	450	Slide switch	LED X 1	YES	YES	N/A	Replaceable front panel
FAL-90-T62ST-B 90cm	450	Slide switch	LED X 1	YES	YES	N/A	Replaceable front panel
FAL-52-BIS 52cm	750	Electronic button	LED X 2	YES	NO	N/A	
FAL-75-BIS 75cm	750	Electronic button	LED X 2	YES	YES	N/A	
FAL-52-BIG 52cm	750	Touch control	LED X 2	YES	NO	N/A	
FAL-52-BIG-B 52cm	750	Touch control	LED X 2	YES	NO	N/A	
FAL-75-BIG 75cm	750	Touch control	LED X 2	YES	YES	N/A	
FAL-75-BIG-B 75cm	750	Touch control	LED X 2	YES	YES	N/A	
FAL-90-BIG 90cm	1000	Touch control	LED X 2	YES	YES	N/A	
FAL-90-BIG-B 90cm	1000	Touch control	LED X 2	YES	YES	N/A	
FAL-52-BISB 52cm	750	Touch control	LED X 2	YES	YES	N/A	
FAL-85-BISB 85cm	1000	Touch control	LED X 2	YES	YES	N/A	
FAL-52-U68SS	750	Electronic button	LED X 1	YES	YES	N/A	
FAL-85-U68SS	750	Electronic button	LED X 1	YES	YES	N/A	
FAL-60-DDG 60cm	850	Touch control	LED X 2	Carbon cloth	YES	N/A	
FAL-90-DDG 90cm	850	Touch control	LED X 2	Carbon cloth	YES	N/A	
FAL-60-DDG-BG 60cm	850	Touch control	LED X 1 strip	Carbon cloth	YES	N/A	
FAL-90-DDG-BG 90cm	850	Touch control	LED X 1 strip	Carbon cloth	YES	N/A	
AR-60-761A 60cm	1200	Touch control	LED X 1	YES	YES	N/A	
AR-90-761A 90cm	1200	Touch control	LED X 1	YES	YES	N/A	




COOKING RANGE


- * Unbranded
- * Manufactured with high quality components
- * LP GAS Certified




30cm and 60cm GAS HOBS - Safety flame failure devices | Cast iron grids




30cm Gas Hob
Black Glass
FAL-BGH-30







60cm Gas Hob
Black Glass
FAL-BGH-60



30cm Gas Hob
S/Steel
FAL-SSGH-30



60cm Gas Hob
S/Steel
FAL-SSGH-60





90cm GAS HOBS - Safety flame failure devices | Cast iron grids



90cm Gas Hob Black Glass
FAL-BGH-90



90cm Gas Hob S/Steel
FAL-SSGH-90




GAS HOBS

ELECTRIC OVENS & HOBS

60CM COMBI OVEN SET WITH SOLID PLATES (BLACK)



CM6401 /XFS6040




Item	Description
Electric Hotplates	4 plates with 7 heat settings, 2 X 7000W, 1 X 7500W, 1 X 2000W
Oven	4 Function: Oven Light, Bottom Bake Element, Top & Bottom Element & Grill
Oven Capacity	60L
Door	Double glazed glass door
Grill Shelf	Yes
Universal Tray	Yes
Detachable Cavity Door	For easy cleaning
Design	Modern aesthetic with Stainless steel handle

60CM COMBI OVEN SET WITH CERAN TOP (S/STEEL)




CM6602-A1-SS03



Item	Description
Ceramic Hob	4 plates with 7 heat settings, 2 X 1200W, 2 X 1800W
Oven	4 Function: Oven Light, Bottom Bake Element, Top & Bottom Element & Grill
Oven Capacity	60L
Door	Double glazed glass door
Grill Shelf	Yes
Universal Tray	Yes
Detachable Cavity Door	For easy cleaning
Design	Modern aesthetic with Stainless steel handle



60cm EYE LEVEL OVEN




BIL66M2-A1

Item	Description
Oven	6 Function
Functions	Fan, Bottom & Top Element, Top & Bottom Element, Bottom Element, Fan & Bottom Element, Full Grill / Economy Grill
Oven Capacity	76L
Temperature Range	50 - 250°
Door	Double glazed glass door
Grill Shelf	Yes
Universal Tray	Yes
Cooling System	Yes
Detachable Cavity Door	For easy cleaning
Design	Modern aesthetic with Stainless steel handle

BIL67TB2-B1

Item	Description
Oven	7 Function
Functions	Fan (Defrost), Full Grill, Thermo Fan, Bottom Element, Bottom & Top Element, Fan with Top & Bottom Element, Fan & Grill Element
Oven Capacity	76L
Temperature Range	50 - 250°
Door	Double glazed glass door
Grill Shelf	Yes
Universal Tray	Yes
Cooling System	Yes
Detachable Cavity Door	For easy cleaning
Design	Modern aesthetic with Stainless steel handle and digital clock



30cm CERAN HOB



FAL-CH-30

Size	30cm
Control	Touch Control
Heating Zones	2 (1 dual zone)
Power Levels	9
Safety Functions	Child lock, Auto shut-off
Total Power	2,9kW
Additional	Residual heat indicator, Timer

60cm CERAN HOB



FAL-CH-60


Size	60cm
Control	Touch Control
Heating Zones	4 (1 dual zone)
Power Levels	9
Safety Functions	Child lock, Auto shut-off
Total Power	7kW
Additional	Residual heat indicator, Timer



30cm INDUCTION HOB




FAL-SSIH-30




L(mm)	W(mm)	H(mm)	D(mm)	A(mm)	B(mm)	X(mm)
288	520	62	56	268	500	50 min

Size	30cm
Control	Touch Control
Heating Zones	1 X 180mm (2000W), 1 X 140mm (1500W)
Power Levels	9
Safety Functions	Child lock, Auto shut-off, Pan detection
Total Power	3.5kW
Additional	Boost, Timer

60cm INDUCTION HOB



FAL-SSIH-60



L(mm)	W(mm)	H(mm)	D(mm)	A(mm)	B(mm)	X(mm)
590	520	66	60	560	490	50 min

Size	60cm
Control	Touch Control (Slider)
Heating Zones	2 X 180mm (2000W), 2 X 140mm (1500W)
Power Levels	9
Safety Functions	Child lock, Auto shut-off, Pan detection
Total Power	7kW
Additional	Boost, Keep warm, Timer

MICROWAVES



FAL-25F4R - 25L

Feature	Description
Cavity Material	Stainless Steel – durable and easy to maintain
Interior Design	Flat bottom – easy to clean, no turntable required
Durability	Built for commercial use
Controls	Electronic dial control
Defrost Function	Efficient and even defrosting
Rotating Antenna	Bottom-mounted for consistent heat distribution
Power Output	1000W – suitable for fast, reliable performance in commercial settings



FAL-34NS1 - 34L

Feature	Description
Cavity Material	Stainless Steel – durable and easy to clean
Interior Design	Flat bottom – no turntable, simplifies cleaning
Durability	Built for commercial use
Power Levels	5 Selectable levels for flexible cooking
Controls	Electronic touch controls with LED display
Cooking Stages	3-Stage cooking settings for precision
Defrost Function	Quick and even defrosting
Programmable Settings	10 Customizable programs
Rotating Antenna	Bottom-mounted for consistent heat distribution
Stackable Design	Saves space – ideal for commercial environments



AR-90-761A 90cm



Falco Johannesburg
Tel: 011 454-4314 | Cel: 083 451 4211
Email: info@falco.co.za
www.falco.co.za